

Duratuf NZ'S #1 Timber Framed Garden Shed

THE DURATUF DIFFERENCE

At Duratuf, we don't just build sheds; we've been crafting durable, functional spaces for over 30 years, designed to withstand New Zealand's unique climate and meet the needs of homeowners across the country. With decades of expertise, every Duratuf shed is built with quality and purpose, combining premium materials with expert engineering. Our innovative timber framing system offers unmatched strength and rigidity, avoiding the issues caused by traditional steel frames, such as water damage and corrosion, and ensuring your shed stays solid and weatherproof for years to come.

- **Strength & Rigidity:** Timber framing gives the shed extra strength and greater structural integrity just like a garage or house. This significantly improves the longevity of the shed compared to other cheaper sheds.
- **Superior Waterproofing:** Our unique timber construction means the steel cladding is fastened to the top & bottom plates. This method prevents water getting trapped in channels which often leads to rust and corrosion.
- More Versatile: With the timber frame, options are endless when it comes to fitting out the shed. Timber allows you to screw or nail in shelves, workbenches, tool boards, hooks etc.

BE INSPIRED BY OUR CUSTOMERS

DURATUF.CO.NZ









DURATUF BUILT DIFFERENT!

OUR PROVEN PROCESS



DETERMINE



CONFIGURE



ORDER



DELIVED



INSTALL

Use our Shed Selector to determine what shed model and size works best for you and your space. Configure your shed with our 3D Shed Builder Tool. Follow the 5 easy steps to design your dream shed.

Order your shed by selecting 'Order My Shed' and we'll put you in touch with your preferred retailer.

Tripletut

WARRANTY

We'll manufacture your shed and deliver it to your chosen retailer.

Assemble your new shed yourself or get one of our recommended installers to do the assembly for you.

Our Three Warranty Pillars Are:

- 1 Free From Manufacturing Defects
- 2 Structural Framing
- 3 Steel Cladding

For full details on our Tripletuf Warranty, refer to www.duratuf.co.nz/tripletuf





Design Your Dream Shed

An off-the-shelf product might fit the bill, but if you've got something a bit more unique in mind you can bring it to life with our market leading 3D shed design software. In a few simple steps, you can take any of our standard range of sheds and add whatever bells and whistles you need to make it your own. Then save it and use your unique shed number to order your dream shed from your favourite DIY store or specialist shed retailer.

Customise any model with our 3D Shed
Builder at duratuf.co.nz/shed-builder



Lifestyle Range Features

Structural Timber Framing

Like all Duratuf sheds the Lifestyle Range features a robust timber frame. This not only gives them a solid structural backbone. It gives you plenty of options when it comes to hanging up tools, or adding shelves and workbenches.

All framing timber is machine gauged, appropriately treated, and sourced from renewable New Zealand pine forests. Roof beams are hi-span laminated structural beams for the ultimate in strength and durability.





Superior Weatherproofing

Water is the last thing you want inside your shed. So while other brand sheds have steel channels that allow it to pool and corrode, Duratuf Lifestyle sheds have effective flashings to stop it getting in, and spouting connected to a downpipe for quick discharge either down the drain or diverted to a water tank.



Tough Steel Cladding

Not only does it look great, our hi-tensile 0.4mm Armorsteel steel cladding with multi-layered paint coating is tough enough to resist even New Zealand's most extreme weather conditions. We're so confident that we back it up with a 30 year guarantee.

Available in many popular colour options (see page 22), combine it with your preferred door colour to create a colour scheme tailored to your property.





No Building Consent Required Under 30sqm

The Duratuf Lifestyle sheds over 10m² have been reviewed and certified by a chartered professional engineer. This means you may not need a building consent to build one provided you meet other local council regulations and other exemption criteria. Plans, along with a PS1, are available to help with your consent application should you require one. It's great news for homeowners and DIY enthusiasts looking for a hassle-free project!

Secure Roller Door

High and wide so you can get everything inside. This quality New Zealand-made roller door combines versatility with added security, providing easy access for larger items while keeping your valuable gear safe.

Available in many popular colour options (see page 22).



Fully Configurable

Need something a bit different? We can configure most standard Lifestyle Range models to suit your needs. Whether you'd like an extra door for easier access or a window to let in the breeze, we've got you covered. There's also a wide range of accessories you can add to make it your own (see pages 22-24).

Timeless Design

Horizontal corrugate cladding with clean lines and modern appeal, the blended wide gauge box flashings create a timeless yet modern design dynamic. Each of these elements will not only enhance the appearance of the structure but also make it a striking focal point in any landscape, seamlessly blending tradition with innovation.


Generous Headroom

The impressive stud height ensures even the tallest person won't bump their head, while also giving you the added benefit of more space in a compact area. The extra vertical clearance makes it easy to store tall items and gear, helping you organise your space in a practical and efficient way.

Safety Edge Corners

We have the corner joins covered as well!

Instead of the conventional overlapped corners, Lifestyle shed corner joins are completely covered by a modern looking flashing making them extremely weather-tight and safe.









The ideal size to store your sports gear, lawnmower and tools while adding a touch of class to your unused space.















Matakana DLL2420





2.490m


2.4 sqm


1.800m

Door can be placed either side











Ideal for hobbyists looking to store bikes, surfboards, and outdoor gear, this shed combines practicality with a bit of flair, transforming unused space into a dedicated area for your passions.













Cardrona DLL3115


Milford DLL3120

Marlborough


Wairarapa DLL3660







DLL3131







With a spacious interior, these sheds have ample room for large garden machinery such as ride-on mowers and concrete mixers etc.








Kaipara DLL4025





Waiheke DLL4236




Glenburn DLL4248

























Whitford DLL4836


Havelock DLL4842


Ardmore DLL4848

Paihia DLL4860













Our wider sheds offer maximum space while staying within the 30m² limit, perfect for those looking to expand storage or workspace without needing special consent.

*Council consent may be required in some situations.












Waimate DLL5020









Kapiti DLL6042



Oxford DLL6048






4 EASY STEPS TO CHOOSING YOUR SHED!

CHOOSE YOUR SHED SIZE


With 21 shed options to choose from, you'll easily find the perfect match for your space and needs.



CONFIGURE YOUR SHED

Personalise your Lifestyle shed with our inward opening pedestrian access doors and aluminium joinery windows.

To see all our configuration options, refer to pages 18-21



Models—Ponsonby, Fendalton, Windsor, Cardrona, Matakana, and Milford—come as standard with no configuration options available.

CHOOSE YOUR FINISH

Roll-formed right here in New Zealand, the cladding is available in a classic Zinc/Aluminium finish, or your choice of sixteen popular colour options (refer to page 22).





CHOOSE YOUR OPTIONAL UPGRADES

Explore our selection of upgrades and accessories on pages 22-24 to make your shed truly your own.



Get the ultimate hands-on experience with our 3D shed builder, designed to walk you through every step.



• CHOOSE YOUR SHED SIZE



Width	Depth	Door
2.400m	1.000m	1.800m



FENDALTON

Width	Depth	Door
3.150m	1.000m	2.400m



WAIRARAPA

Width	Depth	Door
3.600m	6.000m	2.400m



GLENBURN





Depth 2.500m 2.400m

Depth Door

1.500m 1.800m

Depth Door

Width

WHITFORD

Width	Depth	Do
4.800m	3.600m	2.400m/



Width	Depth	Door
2.400m	2.000m	1.800m







MARLBOROUGH

Width	Depth	Door
3.150m	3.150m	2.400n



TAMAHERE

Width	Depth	Door
4.000m	2.000m	2.400m



WAIHEKE

Width	Depth	Door
4.200m	3.600m	2.400m / 3.000m



HAVELOCK

Width	Depth	Door	,
4.800m	4.200m	2.400m / 3.000m	4



ARDMORE

Width	Depth	Door
4.800m	4.800m	2.400m / 3.000n



PAIHIA

Width	Depth	Door
.800m	6.000m	2.400m / 3.000m



KAPITI

Width	Depth	Door
6.000m	4.200m	2.400m / 3.000m



WAIMATE



OTAGO

Width	Depth	Door
6.000m	3.600m	2.400m / 3.000m



Width	Depth	Door
6.000m	4.200m	2.400m / 3.000m



Width	Depth	Door
6.000m	4.800m	2.400m / 3.000m

2. CONFIGURE YOUR SHED

Add PA Doors or Windows

A Pedestrian Access door (810mm W x 1920mm H) and fixed or opening aluminium joinery window (930mm W x 485mm H) can be added in multiple locations on most Lifestyle sheds.



DOOR AND WINDOW OPTIONS FOR DURATUF LIFESTYLE SHEDS


Select the wall options that have the door and window configurations you require. In the diagrams, roller doors state their width in metres; windows are shown as small squares, and PA Doors as tall rectangles. Follow these steps:

- Find your shed in the far left column of the table below. E.g. Otago.
- Select the front wall option in the second column of the table, in the same horizontal band as your shed. Record the number for this in the first box of your Wall Options Code.
- Similarily, select Wall Options for the Back Wall, Left Wall, and Right Wall. Record the option references in the following sequence to create your Wall Options Code: E.g. 3BHR.




The Left Wall is the side wall on the left when viewed facing the shed front. All Wall options are drawn as viewed from the outside of the shed.

Your Wall Options Code should be used when ordering. For pricing purposes, sum the number of windows, and number of PA doors. Roller doors over 2.4m wide also attract a surcharge.



Your Shed Model

Your Wall Options Code







3. CHOOSE YOUR FINISH

You can choose any combination of shed and door colour.

With a wide range of popular cladding colours you're sure to find the perfect colour scheme.



Actual colours and designs of these sheds may vary slightly from this brochure due to print and lighting variations and ongoing product design development. For further information visit www.duratuf.co.nz

* Shed only: A roller door cannot be supplied in this specific colour option.

4. CHOOSE YOUR OPTIONAL UPGRADES



Flooring Options

While the Ponsonby and Fendalton models can sit on an existing substrate like a driveway, deck, or patio, all other models are designed to sit on a purpose-built raised floor. This is due to the cladding overhanging the bottom framing by 30mm to resist water ingress. This can be achieved using a Duratuf Plywood or Timber Floor Kit, or by laying a concrete pad.

Note: Models over 10m2 require a concrete slab or floor that meets the NZ Building Code to be compliant.

Plywood Floor Kit

Includes cut to size 17mm H3 plywood sheets, ground treated H4 joists, treadplate roller door threshold and all required hardware.

Timber Floor Kit - For Specific Models Only

Includes cut to length thick H3 timber floorboards, ground treated H4 joists, treadplate roller door threshold and all required hardware. (Floorboards supplied in separate pack from main kitset)

Building A Raised Concrete Base

Planning to build a solid foundation for your Lifestyle Range shed? We've got you covered with essential specifications to help you create the ideal concrete base. Our guidelines make it simple to build a base that fits perfectly.

Why a Quality Concrete Base Matters

A well-prepared concrete base is crucial for supporting your Lifestyle Range shed, helping to minimise wear and tear over time and reducing the need for maintenance.



Download the full specifications at:

https://duratuf.co.nz/our-products/lifestyle-sheds/lifestyle-range-concrete-base-specifications to get started on your concrete base.



For concrete bases, make them 20mm smaller than your shed's width and depth. Lifestyle sheds over 10m² need a compliant concrete slab: at least 100mm thick in the centre, 200mm at the edges, with damp-proofing underneath and raised 50mm above ground level.



Concrete Slab Sizes

MODEL	SLAB mm	MODEL	SLAB mm
PONSONBY	2380 x 980	MILFORD	3130 x 1980
WINDSOR	2380 x 1480	MARLBOROUGH	3130 x 3130
MATAKANA	2380 x 1980	KAIPARA	3980 x 2480
KINLOCH	2380 x 4180	TAMAHERE	3980 x 1980
FENDALTON	3130 x 980	WAIHEKE	4180 x 3580
CARDRONA	3130 x 1480	WAIMATE	4980 x 1980

MODEL	SLAB mm
OXFORD	5980 x 4780
OTAGO	5980 x 3580
PAIHIA	4780 x 5980
ARDMORE	4780 x 4780
HAVELOCK	4780 x 4180
WHITFORD	4780 x 3580

MODEL	SLAB mm
WAIRARAPA	3580x 5980
GLENBURN	4180 x 4780
KAPITI	5980 x 4180

Clear Roof Panel

Enjoy natural daylight in your shed, thanks to the clear roof panels. These panels are designed to integrate seamlessly with the steel roof sheet, and are available as an optional upgrade for any Lifestyle shed.



How many Clear Roof Panels can I fit to my new shed?

PONSONBY	1
WINDSOR	1
MATAKANA	1
KINLOCH	1
FENDALTON	1
CARDRONA	1

MILFORD	1
MARLBOROUGH	1
KAIPARA	2
TAMAHERE	2
WAIHEKE	2
WAIMATE	3

OXFORD	3	
OTAGO	3	
PAIHIA	3	
ARDMORE	3	
HAVELOCK	3	
WHITFORD	3	

WAIRARAPA	2
GLENBURN	2
KAPITI	3

^{*} Clear roof panels can be ordered in any quantity, with a maximum limit as specified.



Automatic Door Opener

Access your Lifestyle shed at the click of a button with the remote controlled automatic door kit. A popular addition for those wanting complete convenience.

You will need power supplied to the shed.







Very High Wind Upgrade Kit

Built with safety, strength, and durability in mind, the Lifestyle shed range has a timber-reinforced heavy-duty construction, engineered to NZS 3604 High Wind Zone specification. The Lifestyle shed can withstand most of Mother Nature's wear and tear, but for those Very High Wind Zone areas, we offer a NZS 3604 Very High Wind Zone shed upgrade kit. For more information regarding wind zones, visit the Branz website:

https://www.branz.co.nz/branz-maps-zones/

Snow Load Upgrade Kit

Live in New Zealand's high country where snowfalls are regular? We have you covered with a NZS 3604 standard 1 kPa engineered load rating on all our Lifestyle sheds over 10 square metres. However, for those higher elevation areas with severe snow, the Snow Load Upgrade Kit is a perfect addition to your Lifestyle shed, with a 2kPa upgrade Snow Load kit option to suit NZS 3604 standards, reinforcing the sheds inner roof structure.

For a NZ snow load map visit: https://www.level.org.nz/fileadmin/ downloads/Site_Analysis/Snow_Zones_Map.pdf






Accessories



Shed Alarm

- Ultra loud 130db alarm
- 60 degree infrared beam detects movement up to 6 metres away
- Easy to program 4 digit code
- Uses 4 x AA Batteries (not included)



Heavy Duty Workbench

Lock together construction with MDF shelves.

Size: 1.14m W x 0.50m D x 0. 90m H.



5 TIER SHELF UNIT

Bolt free interlocking kitset frame with MDF shelves and 350kg load rating per shelf.

Size: 0.90m W x 0.40m D x 1.80m high.



Assembly Options

Lifestyle sheds are a great project for a competent DIYer, otherwise we recommend hiring a builder or an assembly service. Visit Duratuf.co.nz to view our recommended assemblers.

Tools Required



String Line













0.6 - 0.8m











Hand Saw Caulking Gun Tin Snips Flat File Pipe Wrench


2.6 - 6.5m



Kitset Pack

Lifestyle sheds are delivered in a single crate as a ready to build kitset and come with comprehensive assembly instructions.

If ordered with a Timber Floor Kit this will be packaged separately.







Robust Timber Framing

Like all Duratuf sheds, the Lifestyle Cabin Range features a robust timber frame that provides a solid structural backbone and ultimate configurability.

Our cabins are built to withstand New Zealand's wildest weather. The 90x45 framing and rigid full timber structure, complete with double studs in the corners, ensure excellent strength and ease of lining.

These features make our cabins perfect for lining, which can be customised to meet your specific needs.

Ranchslider Door

All Lifestyle cabins come with a stylish yet functional ranchslider. All windows and the ranchslider feature timber liners that extend 12mm inside the framing making lining easy.

Choose between single or double glazed ranchslider doors, both offering easy access for larger items and plenty of natural light. Single glazed ranchsliders are great for a hobby cabin, while double glazed ranchsliders are essential for a sleepout due to their superior insulation and energy efficiency.

Lining Material List

Each cabin includes detailed instructions on how to line the walls and ceiling, along with a list of materials required if you choose to do so.

White building paper is supplied standard with all Lifestyle Cabins.



CABIN OPTIONS AVAILABLE









KAIPARA CABIN

Width	Depth	Door
4.000m	2.500m	2.400m



WAIHEKE CABIN

Width	Depth	Door
4.200m	3.600m	2.400m



GLENBURN CABIN

Width	Depth	Door
4 200m	4.800m	2 400m



WHITFORD CABIN

Width	Depth	Door
4.800m	3.600m	2.400m



HAVELOCK CABIN

Width	Depth	Door
4.800m	4.200m	2.400m



Width Depth

4.800m 4.800m

ARDMORE CABIN PAIHIA C

Door	Width	Depth	Door
2.400m	4.800m	6.000m	2.4001



OTAGO CABIN

Width	Depth	Door
6.000m	3.600m	2.400m



KAPITI CABIN

Width	Depth	Door
6.000m	4.200m	2,400m



OXFORD CABIN

Width	Depth	Door
6.000m	4.800m	2.400m

* Lifestyle Cabins use the same concrete slab sizes as the equivalent sheds in the Lifestyle Shed Range shown on page 23.







Customer Helpline (weekdays)

Call 0800 GET A SHED | 0800 438 274

Riverlea Group Ltd | PO Box 11062 | Hamilton 3251 | New Zealand | +64 7 847 0204

